



PCI Geomatics Enterprises Inc. Accessibility Conformance Report

CATALYST Professional Software

Report Date: March 24, 2026

Legal Disclaimer

This Accessibility Conformance Report (ACR) assesses the product support of PCI Geomatics Enterprises (Ent.) for WCAG 2.1 as of the stated testing date. It summarizes the product's accessibility features, capabilities, and known limitations, along with associated conformance levels. Accessibility features may evolve over time, and this ACR is subject to change without notice.

This document is provided for informational purposes only. It is the responsibility of the user (e.g., procuring organization or evaluator) to determine whether the reported conformance meets their accessibility requirements, legal obligations, or policies. PCI Geomatics Enterprises Inc. assumes no liability for decisions made based on this information and does not guarantee compatibility with assistive technologies or other products. Modifications or customizations may result in different accessibility outcomes.

PCI Geomatics Enterprises Inc. disclaims all warranties, express or implied, related to this ACR and the information it contains.

Contents

CATALYST Professional Accessibility Conformance Report	4
Introduction	4
Evaluation Methods Used:	4
Product Description:	4
Purpose:	5
Notes:	5
Accessibility Summary	5
Key Strengths	5
Known Limitations	5
Planned Accessibility Improvements	6
Applicable Standards/Guidelines	7
Terms	7
WCAG 2.1 Report	8
Table 1: Success Criteria, Level A	8
Table 2: Success Criteria, Level AA	23
Table 3: Success Criteria, Level AAA	33
Revised Section 508 Report	34
Chapter 3: Functional Performance Criteria (FPC)	34
Chapter 4: Hardware	38
Chapter 5: Software	38
Chapter 6: Support Documentation and Services	42
EN 301 549 Report	44
Clause 4: Functional Performance Statements (FPS)	44
Clause 5: Generic Requirements	46
Clause 6: ICT with Two-Way Voice Communication	46
Clause 7: ICT with Video Capabilities	46
Clause 8: Hardware	47
Clause 9: Web (<i>see WCAG 2.x section</i>)	47
Clause 10: Non-Web Documents	47
Clause 11: Software	47
Clause 12: Documentation and Support Services	51
Clause 13: ICT Providing Relay or Emergency Service Access	52

CATALYST Professional Accessibility Conformance Report

International Edition

Introduction

Name of Product/Version: CATALYST Professional (v3.3.5)

Report Template: International Edition VPAT (based on version 2.5)

Product Release Date: January 20, 2026

Report Date: March 24, 2026

Contact Information: *PCIGeomaticsAccessibility@catalyst.earth*

Evaluation Methods Used:

Testing of CATALYST Professional was conducted on Windows 11 using a combination of manual, functional, and assistive technology-based evaluation across representative workflows and key user interface components.

Methods included use of the NonVisual Desktop Access (NVDA) screen reader to assess compatibility with assistive technologies, keyboard-only interaction to evaluate operability, and manual inspection of interface elements and accessibility properties.

Color contrast was evaluated using the Colour Contrast Analyser (CCA) to sample foreground and background colors for text, icons, and UI components.

Testing was conducted against WCAG 2.1 Level AA success criteria and focused on screen reader compatibility, keyboard navigation, color contrast, and programmatic accessibility of user interface elements.

Testing was conducted using representative user workflows and sampling of key interface components; results may not reflect every possible user interaction.

Product Description:

CATALYST Professional is a desktop geospatial software application used for remote sensing, photogrammetry, and Earth observation analysis. It allows users to process, analyze, and extract information from optical and synthetic aperture radar (SAR) imagery. The software includes a wide range of tools and algorithms for tasks such as image correction, ortho-mosaicking, digital elevation model (DEM) creation and editing, feature extraction, and advanced analysis.

Users can work with these capabilities in different ways depending on their needs, including through the graphical user interface (GUI), a Python Application Programming Interface (API) for scripting and automation, and a visual modeling environment for building and running workflows. This flexibility supports both interactive use and more automated or repeatable processing.

The application also provides a customizable workspace that allows users to move, dock, and reposition toolbars in the primary viewer. This makes it possible to adjust the interface to better suit individualized workflows and screen configurations.

Purpose:

The Voluntary Product Accessibility Template (VPAT) was used to create an ACR for CATALYST Professional, which documents the product's conformance with accessibility standards and guidelines. The purpose of the VPAT is to assist customers and buyers in making preliminary assessments regarding the availability of commercially available Information and Communication Technology (ICT) products and services with features that support accessibility.

Notes:

The scope of this ACR includes functionality and components of the CATALYST Professional software. For more information, please visit "CATALYST Professional Product Accessibility Status" at <https://catalyst.earth/accessibility-conformance-reports/>

Accessibility Summary

CATALYST Professional has been evaluated against applicable accessibility standards, including the Web Content Accessibility Guidelines (WCAG) and Section 508 of the U.S. Rehabilitation Act, which establishes accessibility requirements for information and communication technology (ICT) used by U.S. federal agencies. Known accessibility gaps and limitations identified during testing are explicitly documented within the VPAT tables under "Remarks and Explanations," including their impact and scope where applicable.

Key Strengths

The product supports accessibility requirements across many core workflows. Standard user interface elements generally expose the programmatic information required by assistive technologies, and many features are operable via keyboard. The application maintains a consistent interface for navigation and interaction across primary tools and functions. Additionally, icons and other non-text user interface elements generally meet applicable contrast requirements for visual accessibility.

Known Limitations

Some accessibility limitations have been identified. Keyboard access is not fully supported across all interface components; certain elements are not reachable via standard Tab navigation, and common keyboard interactions (e.g., Enter, Escape) are not consistently supported. Some functionality relies on drag-and-drop without equivalent keyboard alternatives.

Additionally, some user interface elements do not consistently expose complete programmatic names, roles, or values. For example, certain toolbar controls and icons are not announced by screen readers, and some structural elements are not programmatically defined.

Color contrast issues have also been identified in some toolbar text, which does not consistently meet WCAG 2.1 minimum requirements. These limitations may impact users who rely on keyboard navigation or assistive technologies.

Planned Accessibility Improvements

PCI Geomatics Enterprises Inc. is committed to improving the accessibility of CATALYST Professional and ongoing alignment with WCAG 2.1 standards.

Based on internal testing, planned improvements include:

- Enhancements to keyboard accessibility, including focus order and full operability of interface elements
- Improvements to screen reader compatibility, including accessible names, roles, and status messages
- Better support for forms, labels, and programmatic associations
- Updates to color contrast and visual accessibility, including improvements to toolbar text contrast and font weight to meet WCAG 2.1 requirements, as well as enhancements to visible focus indicators
- Providing alternatives to drag-and-drop interactions, where feasible

Accessibility enhancements are incorporated into ongoing product development and may be included in future releases.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (Yes / No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549:
 - Clause 9 - Web
 - Clauses 10.1-10.4 of Clause 10 - Non-Web documents
 - Clauses 11.1-11.4 and 11.8.2 of Clause 11 - Software
 - Clauses 12.1.2 and 12.2.4 of Clause 12 - Documentation and support services
- Revised Section 508:
 - Chapter 5 - 501.1 Scope and 504.2 Content Creation or Editing
 - Chapter 6 - 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.1 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Principle 1: Perceivable - Information and user interface components must be presentable to users in ways they can perceive.

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>The product supports this criterion in most core workflows. However, some GUI elements do not provide programmatically determinable text alternatives.</p> <p>Specifically, certain toolbar icons and controls lack accessible names and are not announced by screen readers, which may limit usability for users relying on assistive technologies.</p>
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to:</p>	Not Applicable	The product does not currently contain pre-recorded audio-only or pre-recorded video-only content.

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	The product does not currently contain pre-recorded content requiring synchronized captions.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Not Applicable	The product does not currently contain any prerecorded video content that would require audio description or a time-based media alternative.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 9.1.2.3 (Web) ● 10.1.2.3 (Non-web document) ● 11.1.2.3.1 (Open Functionality Software) ● 11.1.2.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.1 (Web) ● 10.1.3.1 (Non-web document) ● 11.1.3.1.1 (Open Functionality Software) ● 11.1.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Partially Supports	<p>While many interface elements correctly expose programmatic information, some controls do not consistently convey structural relationships or accessibility properties to assistive technologies.</p> <p>For example, certain toolbar groupings and headings are not programmatically defined, which may result in missing or inaccurate information for screen reader users.</p> <p>The application allows users to reposition toolbars to support customized layouts. Although functional relationships between controls and associated content remain consistent, these relationships are sometimes conveyed primarily through visual positioning and may not always be fully programmatically available.</p>
<p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Partially Supports	<p>The product partially supports this criterion across core workflows. In some areas, the focus and reading order do not consistently align with the visual presentation.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 9.1.3.2 (Web) ● 10.1.3.2 (Non-web document) ● 11.1.3.2.1 (Open Functionality Software) ● 11.1.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		<p>While users can rearrange interface elements such as toolbars, the programmatic reading and navigation order does not always reflect the updated layout. As a result, the relationship between elements may be conveyed visually but not consistently communicated to assistive technologies, which may impact users' understanding of the interface structure.</p>
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.3 (Web) ● 10.1.3.3 (Non-web document) ● 11.1.3.3 (Open Functionality Software) ● 11.1.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	<p>The product provides instructions for understanding and operating content that do not rely solely on sensory characteristics.</p>
<p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	<p>Throughout most of the product, color is not used as the only visual means of conveying information, indicating an action, prompting a response, or</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 9.1.4.1 (Web) ● 10.1.4.1 (Non-web document) ● 11.1.4.1 (Open Functionality Software) ● 11.1.4.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		distinguishing a visual element.
<p><u>1.4.2 Audio Control</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.2 (Web) ● 10.1.4.2 (Non-web document) ● 11.1.4.2 (Open Functionality Software) ● 11.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Not Applicable	The product does not contain audio that plays automatically.
<p><u>2.1.1 Keyboard</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Partially Supports	Most core functionality is operable using a keyboard interface. However, some views, panels, and interactive controls are not fully operable via keyboard alone.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 9.2.1.1 (Web) ● 10.2.1.1 (Non-web document) ● 11.2.1.1.1 (Open Functionality Software) ● 11.2.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		<p>In particular, some interface elements cannot be reached using standard Tab navigation, and standard keyboard interactions (such as activating controls using Enter or dismissing dialogs using the Escape key) are not consistently supported.</p> <p>These limitations may prevent full operation of the product using only a keyboard.</p> <p>In supported menus, users can navigate interface elements using keyboard commands such as Alt + Arrow keys.</p>
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.2 (Web) ● 10.2.1.2 (Non-web document) ● 11.2.1.2 (Open Functionality Software) ● 11.2.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Partially Supports	<p>The product supports this criterion in most core workflows. However, certain components require additional or non-standard navigation steps to move focus away using the keyboard.</p> <p>In some cases, expected keyboard mechanisms (such as Escape to exit dialogs or panels) are not supported, which may impact efficient keyboard navigation.</p>
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Partially Supports	<p>The product provides some keyboard shortcuts for standard controls and content.</p> <p>Available shortcuts are listed alongside menu items.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 9.2.1.4 (Web) ● 10.2.1.4 (Non-web document) ● 11.2.1.4.1 (Open Functionality Software) ● 11.2.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>Use Alt and arrow keys to navigate menu items. Users are not allowed to turn off or reconfigure shortcuts that consist of only character keys.</p>
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.2.1 (Web) ● 10.2.2.1 (Non-web document) ● 11.2.2.1 (Open Functionality Software) ● 11.2.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>The product does not currently contain content that requires time limits or timed interactions.</p>
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.2.2 (Web) ● 10.2.2.2 (Non-web document) ● 11.2.2.2 (Open Functionality Software) 	<p>Not Applicable</p>	<p>The product does not currently include elements which move, blink, scroll, or auto-update.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.2.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.3.1 (Web) ● 10.2.3.1 (Non-web document) ● 11.2.3.1 (Open Functionality Software) ● 11.2.3.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Not Applicable	The product does not contain any type of flashes or flashing objects.
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.1 (Web) ● 10.2.4.1 (Non-web document) – Does not apply ● 11.2.4.1 (Open Functionality Software) – Does not apply 	Not Applicable	This success criteria does not apply to non-web software.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.2.4.1 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 		
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.2 (Web) ● 10.2.4.2 (Non-web document) ● 11.2.4.2 (Open Functionality Software) - Does not apply ● 11.2.4.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Screens of the product provide titles that adequately describe their topic or purpose.
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.3 (Web) ● 10.2.4.3 (Non-web document) ● 11.2.4.3 (Open Functionality Software) 	Partially Supports	<p>The product supports this criterion in most core workflows. However, in some areas the focus order does not follow a logical sequence consistent with the visual layout.</p> <p>Additionally, the application allows users to reposition toolbars and the main viewer. In some configurations, the keyboard focus order does not fully adapt to the</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.2.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		updated visual arrangement, which may result in a navigation sequence that differs from the customized layout.
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.4 (Web) ● 10.2.4.4 (Non-web document) ● 11.2.4.4 (Open Functionality Software) ● 11.2.4.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Links are understandable from the text alone or from the surrounding paragraph text.
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.1 (Web) ● 10.2.5.1 (Non-web document) ● 11.2.5.1 (Open Functionality Software) 	Not Applicable	The product does not require multi-point or path-based pointer gestures for operation.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.2.5.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.2 (Web) ● 10.2.5.2 (Non-web document) ● 11.2.5.2 (Open Functionality Software) ● 11.2.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The product contains only functionality that can be activated on the up event of a single pointer.
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.3 (Web) ● 10.2.5.3 (Non-web document) ● 11.2.5.3.1 (Open Functionality Software) ● 11.2.5.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	Some controls, particularly toolbar icons and custom interface elements, do not consistently provide clearly identifiable labels or accessible names, which may prevent assistive technologies from conveying their purpose.
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p>	Not Applicable	The product does not contain any functionality that

Criteria	Conformance Level	Remarks and Explanations
<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.4 (Web) ● 10.2.5.4 (Non-web document) ● 11.2.5.4 (Open Functionality Software) ● 11.2.5.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>can be operated by device motion or user motion.</p>
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.1.1 (Web) ● 10.3.1.1 (Non-web document) ● 11.3.1.1.1 (Open Functionality Software) ● 11.3.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>The language of each screen in the product is programmatically determinable.</p>
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.1 (Web) 	<p>Supports</p>	<p>User interface components in the product do not initiate a change of context when they receive focus.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 10.3.2.1 (Non-web document) ● 11.3.2.1 (Open Functionality Software) ● 11.3.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p><u>3.2.2 On Input</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.2 (Web) ● 10.3.2.2 (Non-web document) ● 11.3.2.2 (Open Functionality Software) ● 11.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Changing the setting of core components and features in the interface does not initiate any unexpected change of context.
<p><u>3.2.6 Consistent Help</u> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Supports	Help mechanisms that are repeated throughout the product occur consistently and in the same order relative to other content.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.1 Error Identification</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.1 (Web) ● 10.3.3.1 (Non-web document) ● 11.3.3.1.1 (Open Functionality Software) ● 11.3.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Partially Supports	Where input errors are automatically detected, most are identified and communicated through text or conveyed to assistive technologies. However, the product is rated Partially Supports because some errors are not announced by assistive technologies, and remediation guidance is not consistently provided.
<p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.2 (Web) ● 10.3.3.2 (Non-web document) ● 11.3.3.2 (Open Functionality Software) ● 11.3.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Partially Supports	<p>The product provides sufficient instructions for user input in most cases.</p> <p>A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> ● Some elements are missing instructions ● Some headers and labels throughout the product have no identifiable purpose, which may cause changes for users of assistive technologies

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Supports	User information is not required to be entered more than once in multi-step processes and is available for reuse or selection where applicable. In other cases, the product does not request user information across multi-step processes.
<p>4.1.1 Parsing (Level A) Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.1 (Web) ● 10.4.1.1 (Non-web document) ● 11.4.1.1.1 (Open Functionality Software) ● 11.4.1.1.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata .
<p>4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.2 (Web) ● 10.4.1.2 (Non-web document) ● 11.4.1.2.1 (Open Functionality Software) ● 11.4.1.2.2 (Closed Software) – Does not apply 	Partially Supports	The product supports this criterion in most core workflows. However, some custom user interface elements do not consistently expose complete name, role, or value information to assistive technologies. For example, certain toolbar controls and icons are not announced by screen readers, and some interactive elements do not support standard

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		programmatic actions (such as activation via keyboard), limiting their accessibility.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.1.2.4 (Web) ● 10.1.2.4 (Non-web document) ● 11.1.2.4 (Open Functionality Software) ● 11.1.2.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Not Applicable	The product does not include any live audio or video content.
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> Also applies to:	Not Applicable	The product does not contain any audio description (prerecorded).

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.5 (Web) ● 10.1.2.5 (Non-web document) ● 11.1.2.5 (Open Functionality Software) ● 11.1.2.5 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p><u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.4 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.4 (Open Functionality Software) ● 11.1.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The product does not restrict its view and operation to a single display orientation and responds appropriately to changes in screen orientation.
<p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.5 (Web) ● 10.1.3.5 (Non-web document) 	Supports	A visible label with appropriate instructions is provided to guide the user through the input fields on the form when creating an account and also when login in to access the software.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.1.3.5.1 (Open Functionality Software) ● 11.1.3.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.3 (Web) ● 10.1.4.3 (Non-web document) ● 11.1.4.3 (Open Functionality Software) ● 11.1.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Partially Supports	<p>The product meets or exceeds minimum contrast ratios on most components containing text or images of text. A rating of Partially Supports has been given for the following reason(s):</p> <ul style="list-style-type: none"> ● Color contrast was evaluated using the Colour Contrast Analyser (CCA) tool. Testing indicates that most text meets the required 4.5:1 contrast ratio; however, some toolbar text does not consistently meet the required 4.5:1 contrast ratio for normal text, as identified using the Colour Contrast Analyser (CCA) tool. ● Non-text elements (e.g., icons) meet applicable contrast requirements. <p>Improvements are planned to increase text contrast and font weight in affected areas to ensure compliance.</p>
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.4 (Web) ● 10.1.4.4 (Non-web document) ● 11.1.4.4.1 (Open Functionality Software) ● 11.1.4.4.2 (Closed Software) 	Supports	<p>Text can be resized up to 200% without loss of content or functionality, without the need for assistive technology. This was verified using the system magnifier tool.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.5 (Web) ● 10.1.4.5 (Non-web document) ● 11.1.4.5.1 (Open Functionality Software) ● 11.1.4.5.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Text is used to convey information rather than images of text, except where a specific visual presentation is essential, such as in logos or branding elements.
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.10 (Web) ● 10.1.4.10 (Non-web document) ● 11.1.4.10 (Open Functionality Software) ● 11.1.4.10 (Closed Software) 	Supports	The product supports this criterion. Content can be presented in either the Area View or Map View which allows for these conditions.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.11 (Web) ● 10.1.4.11 (Non-web document) ● 11.1.4.11 (Open Functionality Software) ● 11.1.4.11 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>User interface components and meaningful graphics in the product have a contrast ratio of at least 3:1 against adjacent colors.</p> <ul style="list-style-type: none"> ● Testing using the Colour Contrast Analyser (CCA) indicates that most user interface components and graphical elements, including icons, meet the required 3:1 contrast ratio.
<p><u>1.4.12 Text Spacing</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.12 (Web) ● 10.1.4.12 (Non-web document) ● 11.1.4.12 (Open Functionality Software) ● 11.1.4.12 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	The product is not implemented using markup languages.
<p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p>	Supports	Content made visible via hover or focus is dismissible, hoverable, and persistent throughout the

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.13 (Web) ● 10.1.4.13 (Non-web document) ● 11.1.4.13 (Open Functionality Software) ● 11.1.4.13 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		product.
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.5 (Web) ● 10.2.4.5 (Non-web document) – Does not apply ● 11.2.4.5 (Open Functionality Software) – Does not apply ● 11.2.4.5 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	This success criteria does not apply to non-web software.
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.6 (Web) ● 10.2.4.6 (Non-web document) 	Partially Supports	<p>The product supports this criterion in most core workflows. However, some controls and panels are not clearly labeled or lack descriptive headings.</p> <p>Some toolbar headings and group labels are not programmatically exposed to assistive technologies and therefore are not announced by screen readers.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.2.4.6 (Open Functionality Software) ● 11.2.4.6 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		Additionally, in some areas of the application, headings are present but do not consistently describe or include all related interface elements, which may make it more difficult for users of assistive technologies to understand the structure and purpose of content.
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.7 (Web) ● 10.2.4.7 (Non-web document) ● 11.2.4.7 (Open Functionality Software) ● 11.2.4.7 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Partially Support	A visible keyboard focus indicator is not consistently provided across all interactive elements. In some areas, the absence of a clear focus indicator may prevent users from determining the current point of interaction when navigating via keyboard.
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Supports	The product does not contain components that obscure the interface.

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.7 Dragging Movements (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Does Not Support	<p>Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative.</p> <p>Certain interface customization features, including repositioning toolbars, require drag-and-drop interaction. An equivalent single-pointer or keyboard alternative is not consistently provided for these operations.</p>
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>The size of target for pointer inputs meets requirements (24x24 CSS pixels) throughout the product. A rating of Partially Supports has been given for the following reason</p> <ul style="list-style-type: none"> Some tool icons have a size of 24x22 CSS pixels or less.
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	The language of each screen in the product is programmatically determinable.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.3 (Web) ● 10.3.2.3 (Non-web document) – Does not apply ● 11.3.2.3 (Open Functionality Software) – Does not apply ● 11.3.2.3 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	When navigational mechanisms are repeated in the product, they occur in a consistent relative order and appearance.
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.4 (Web) ● 10.3.2.4 (Non-web document) – Does not apply ● 11.3.2.4 (Open Functionality Software) – Does not apply ● 11.3.2.4 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Components with the same functionality throughout the product are identified consistently.

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.3 (Web) ● 10.3.3.3 (Non-web document) ● 11.3.3.3 (Open Functionality Software) ● 11.3.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Partially Supports	Some error messages provide suggestions while others rely on the knowledge base of the user.
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.4 (Web) ● 10.3.3.4 (Non-web document) ● 11.3.3.4 (Open Functionality Software) ● 11.3.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Throughout the product, changes to user-controllable data are reversible, or can be checked or confirmed before finalizing.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Supports	The product does not currently require an authentication process containing a cognitive function test.
<p><u>4.1.3 Status Messages</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.3 (Web) ● 10.4.1.3 (Non-web document) ● 11.4.1.3 (Open Functionality Software) ● 11.4.1.3 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	The product supports this criterion in most core workflows. However, some status messages are not programmatically exposed to assistive technologies.

Table 3: Success Criteria, Level AAA

Notes: table 3 removed – not applicable - web

Criteria	Conformance Level	Remarks and Explanations
----------	-------------------	--------------------------

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none">• Some components throughout the product lack labels or other purpose identifiers, which prevents the use of assistive technology.• Some descriptive or decorative content (e.g., images and non-text content) is lacking appropriate tagging to notify assistive technology.• Some controls lack a programmatic name, role, or state information.• Some toolbar controls and icons do not expose accessible names and are not announced by screen readers.• Some tables, including headers and associated values, are not announced by assistive technologies. This may limit usability for users operating some views, panes, and tooltips. Some controls are not focusable or operable using only the keyboard.• Some interactive elements are not reachable using standard Tab navigation and may be excluded from the focus order.• Standard keyboard interactions (such as activating controls using Enter or dismissing dialogs using the Escape key) are not consistently supported.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative.
302.2 With Limited Vision	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> Some components throughout the product lack labels or other purpose identifiers, which prevents the use of assistive technology Some descriptive or decorative content (e.g. images and non-text content) is lacking appropriate tagging to notify assistive technology Some controls lack a programmatic name, role, or state information Some tables, including headers and associated values, are not announced by assistive technologies. This may limit usability for users operating some views, panes, and tooltips Some controls are not focusable or operable using only the keyboard. This may limit usability for users interacting with tooltips as some are only available on hover and do not receive focus when using keyboard navigation Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative. Some errors are not announced by the assistive technology, nor is remediation information provided Some toolbar text does not consistently meet minimum contrast requirements, which may impact readability for users with low vision

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> Some toolbar text does not consistently meet minimum contrast requirements, which may impact users with low vision.
302.3 Without Perception of Color	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> Some instances of links are denoted visually using only color This may limit usability for users interacting with tooltips as some are only available on hover and do not receive focus when using keyboard navigation
302.4 Without Hearing	Not Applicable	The product does not require the use of hearing.
302.5 With Limited Hearing	Not Applicable	The product does not require the use of hearing.
302.6 Without Speech	Not Applicable	The product does not require the use of speech.
302.7 With Limited Manipulation	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> Some descriptive or decorative content (e.g. images and non-text content) is lacking appropriate tagging to notify assistive technology. This may limit usability for users operating some views, panes, and tooltips This may limit usability for users with meaning and presentation of content due to keyboard focus order

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative. • Some Tab controls lack programmatic names, roles, and/ or status information • The application supports a customizable workspace, allowing users to reposition toolbars for individual needs. However, some repositioning actions require drag-and-drop interaction, which may present challenges for users with limited dexterity when keyboard alternatives are not available.
302.8 With Limited Reach and Strength	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some descriptive or decorative content (e.g. images and non-text content) is lacking appropriate tagging to notify assistive technology • This may limit usability for users operating some views, panes, and tooltips • This may limit usability for users with meaning and presentation of content due to keyboard focus order • Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative. • Some Tab controls lack programmatic names, roles, and/ or status information
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p>

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • Some descriptive or decorative content (e.g. images and non-text content) is lacking appropriate tagging to notify assistive technology • This may limit usability for users operating some views, panes, and tooltips • This may limit usability for users with meaning and presentation of content due to keyboard focus order • Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative. • Some Tab controls lack programmatic names, roles, and/ or status information

Chapter 4: [Hardware](#)

Notes: CATALYST Professional is not impacted by Chapter 4: Hardware. This section has been removed from the report.

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.1 section	See information in WCAG 2.1 section
502 Interoperability with As Not Applicable <i>Assistive Technology</i>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	The product is not platform software
502.2.2 No Disruption of Accessibility Features	Partially Supports	In general, the product does not disrupt platform features that are defined in the platform documentation as accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
502.3.1 Object Information	Partially Supports	In general, the product reports the correct name, role, state, boundary, and description information of objects to assistive technologies. Exception includes: Some form controls, with visible labels, lack the programmatic association with those labels
502.3.2 Modification of Object Information	Partially Supports	In general, states and properties that can be set by the user are able to be set programmatically. Exceptions include: <ul style="list-style-type: none"> Some controls are not keyboard operable
502.3.3 Row, Column, and Headers	Partially Supports	In general, if an object is in a data table, the occupied rows and columns, and any headers associated with those rows or columns are programmatically determinable.
502.3.4 Values	Supports	Any current value and any set or range of allowable values associated with an object, are programmatically determinable.
502.3.5 Modification of Values	Partially Supports	In general, values that can be set by the user are capable of being set programmatically, including through assistive technology. Exceptions include: Some controls are not part of the focus order and so not operable via the keyboard.
502.3.6 Label Relationships	Partially Supports	In general, any relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable.
502.3.7 Hierarchical Relationships	Partially Supports	In general, any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable.

Criteria	Conformance Level	Remarks and Explanations
502.3.8 Text	Supports	The content of text objects, text attributes, and the boundary of text rendered to the screen, are programmatically determinable.
502.3.9 Modification of Text	Supports	Text that can be set by the user is capable of being set programmatically, including through assistive technology.
502.3.10 List of Actions	Partially Supports	<p>In general, a list of all actions that can be executed on an object is programmatically determinable.</p> <p>Exceptions Include:</p> <p>Some controls lack, such as some tabs, lack programmatic role and status information necessary for assistive technology to communicate the available actions accurately</p>
502.3.11 Actions on Objects	Partially Supports	<p>In general, applications allow assistive technology to programmatically execute available actions on objects.</p> <p>Exceptions include some controls that do not support standard keyboard activation (such as Enter or Space), and functionality that cannot be triggered without the use of a pointing device.</p>
502.3.12 Focus Cursor	Partially Supports	<p>In general, the product exposes information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> Some interactive elements are not included in the keyboard focus order, which may prevent assistive technologies from tracking and interacting with those elements.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> In certain areas, focus is not consistently visible or does not move in a logical sequence, which may make it difficult for users to determine the current point of interaction when navigating via keyboard.
502.3.13 Modification of Focus Cursor	Partially Supports	<p>In general, focus, text insertion point, and selection attributes that can be set by the user are capable of being set programmatically, including through the use of assistive technology. Exceptions include:</p> <ul style="list-style-type: none"> Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative.
502.3.14 Event Notification	Partially Supports	<p>In general, notification of events relevant to user interactions, including but not limited to, changes in the component's state(s), value, name, description, or boundary, are available to assistive technology.</p>
502.4 Platform Accessibility Features	Not Applicable	The product is not platform software.
<u>503 Applications</u>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Partially Supports	<p>In general, the product permits user preferences from platform settings for color, contrast, font type, font size, and focus cursor.</p>
503.3 Alternative User Interfaces	Not Applicable	The product does not provide an alternative user interface that functions as assistive technology.
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	The product does not provide user controls for volume adjustment.

Criteria	Conformance Level	Remarks and Explanations
503.4.2 Audio Description Controls	Not Applicable	The product does not provide user controls for program selection.
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	Not Applicable	The product is not an authoring tool.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	The product is not an authoring tool.
504.2.2 PDF Export	Not Applicable	The product does not provide users with the ability to export to PDF.
504.3 Prompts	Not Applicable	The product is not an authoring tool.
504.4 Templates	Not Applicable	The product is not an authoring tool.

Chapter 6: Support Documentation and Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
<u>602 Support Documentation</u>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Partially Supports	Product documentation includes limited information on accessibility features. Detailed guidance on accessibility, functionality and compatibility with assistive technologies is not consistently provided.
602.3 Electronic Support Documentation	Partially Supports	Web-based electronic support documentation is available for this product at https://catalyst.earth/customer-center/
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	Web-based electronic support documentation is available for this product at https://catalyst.earth/customer-center/

Criteria	Conformance Level	Remarks and Explanations
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Partially Supports	Limited information on accessibility features and compatibility with assistive technologies is available through this ACR. Additional product documentation does not currently provide comprehensive details on accessibility features or usage.
603.3 Accommodation of Communication Needs	Supports	Technical support for this product is available to users via email at <i>support@catalyst.earth</i>

EN 301 549 Report

Notes:

Clause [4: Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none">• Some controls lack a programmatic name, role, or state information• This may limit usability for users operating some views, panes, and tooltips• Some controls are not focusable or operable using only the keyboard• Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative.• Some Tab controls lack programmatic names, roles, and/ or status information
4.2.2 Usage with limited vision	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none">• Some controls lack a programmatic name, role, or state information• This may limit usability for users operating some views, panes, and tooltips• Some controls are not focusable or operable using only the keyboard• Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative.• Some Tab controls lack programmatic names, roles, and/ or status information

Criteria	Conformance Level	Remarks and Explanations
4.2.3 Usage without perception of colour	Supports	Color is only used as a decorative or supplemental attribute of user interface elements. Textual representation is always used as the primary mechanism for conveying information.
4.2.4 Usage without hearing	Not Applicable	The product does not include audio-only features that require hearing to be used.
4.2.5 Usage with limited hearing	Not Applicable	The product does not include audio-only features that require hearing to be used.
4.2.6 Usage with no or limited vocal capability	Not Applicable	The product does not require speech input.
4.2.7 Usage with limited manipulation or strength	Supports	The product supports standard input mechanisms such as user-provided keyboards and pointing devices.
4.2.8 Usage with limited reach	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some descriptive or decorative content (e.g. images and non-text content) is lacking appropriate tagging to notify assistive technology • This may limit usability for users operating some views, panes, and tooltips • This may limit usability for users with meaning and presentation of content due to keyboard focus order • Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative. • Some Tab controls lack programmatic names, roles, and/ or status information
4.2.9 Minimize photosensitive seizure triggers	Not Applicable	The product does not contain photosensitive seizure triggers or flashing content.

Criteria	Conformance Level	Remarks and Explanations
4.2.10 Usage with limited cognition, language or learning	Partially Supports	<p>A rating of Partially Supports has been given due to the following:</p> <ul style="list-style-type: none"> • Some descriptive or decorative content (e.g. images and non-text content) is lacking appropriate tagging to notify assistive technology • This may limit usability for users operating some views, panes, and tooltips • This may limit usability for users with meaning and presentation of content due to keyboard focus order • Some functionality requires drag-and-drop interaction and does not provide an equivalent single-pointer or keyboard alternative. • Some Tab controls lack programmatic names, roles, and/ or status information
4.2.11 Privacy	Supports	The product does not initiate legal commitments or financial transactions, modify or delete user-controlled data within storage systems, or submit user test responses. Additionally, it does not impose any restrictions on the use of headphones.

Clause [5: Generic Requirements](#)

Notes: CATALYST Professional is not impacted by Chapter 5: Generic Requirements. This section has been removed from the report.

Clause [6: ICT with Two-Way Voice Communication](#)

Notes: CATALYST Professional is not impacted by Chapter 6: ICT with Two-Way Voice Communication. This section has been removed from the report.

Clause [7: ICT with Video Capabilities](#)

Notes: CATALYST Professional is not impacted by Chapter 7: ICT with Voice Capabilities. This section has been removed from the report.

Clause [8: Hardware](#)

Notes: CATALYST Professional is not impacted by Chapter 8: Hardware. This section has been removed from the report.

Clause [9: Web \(see \[WCAG 2.x section\]\(#\)\)](#)

Notes: This section has been removed from the report.

Clause [10: Non-Web Documents](#)

Notes: CATALYST Professional is not impacted by Chapter 10: Non-Web Documents. This section has been removed from the report.

Clause [11: Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.1 section	See information in WCAG 2.1 section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Partially Supports	The product uses some documented platform accessibility services. Refer to the criteria 11.5.2.5 to 11.5.2.17.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.5 Object information	Partially Supports	<p>The product supports this criterion in most core workflows. However, some interface elements do not expose sufficient object information to assistive technologies.</p> <p>For example, certain controls particularly toolbar icons and custom interface elements do not provide accessible names, roles, or state information, and may not be announced by screen readers. This may limit the ability of users of assistive technologies to understand and interact with these elements.</p>
11.5.2.6 Row, column, and headers	Partially Supports	<p>In general, the product makes the row and column of each cell in a data table, including headers of the row and column if present, programmatically determinable by assistive technologies.</p>
11.5.2.7 Values	Partially Supports	<p>The product supports this criterion in most core workflows. However, certain controls do not reliably expose current values or state changes programmatically.</p>
11.5.2.8 Label relationships	Partially Supports	<p>In general, the relationship between the product's user interface elements and their labels are programmatically determinable.</p> <ul style="list-style-type: none"> • Some form controls have visible labels that are not programmatically associated
11.5.2.9 Parent-child relationships	Supports	<p>The product's user interface elements and their parent-child relationships are programmatically determinable.</p>

Criteria	Conformance Level	Remarks and Explanations
11.5.2.10 Text	Supports	The product's rendered text, including its contents, attributes, and boundary, are programmatically determinable.
11.5.2.11 List of available actions	Supports	The product's user interface elements provide a list of available actions that are programmatically determinable.
11.5.2.12 Execution of available actions	Partially Supports	Some actions cannot be executed using standard keyboard interactions (e.g., Enter or Escape), and require a pointing device.
11.5.2.13 Tracking of focus and selection attributes	Supports	The product's user interface elements for text editing provide information and mechanisms necessary to track focus, text insertion point, and selection attributes in a way that is programmatically determinable.
11.5.2.14 Modification of focus and selection attributes	Partially Supports	<p>In general, the product allows assistive technologies to programmatically modify focus, text insertion point, and selection attributes of user interface elements where the user can modify these items.</p> <p>Occasionally, certain controls are excluded from the focus order, making them inaccessible to users who rely solely on a keyboard</p> <p>Certain controls are excluded from the focus order, limiting the ability of assistive technologies to programmatically move focus to all interactive elements.</p>

Criteria	Conformance Level	Remarks and Explanations
11.5.2.15 Change notification	Partially Supports	In general, the product notifies assistive technologies about changes in those programmatically determinable attributes of user interface elements.
11.5.2.16 Modifications of states and properties	Partially Supports	In general, the product allows assistive technologies to programmatically modify states and properties of user interface elements, where the user can modify these items. Exceptions include: Occasionally, certain controls are excluded from the focus order, making them inaccessible to users who rely solely on a keyboard.
11.5.2.17 Modifications of values and text	Partially Supports	In general, the product allows assistive technologies to programmatically modify states and properties of user interface elements, where the user can modify these items. Exceptions include: Occasionally, certain controls are excluded from the focus order, making them inaccessible to users who rely solely on a keyboard.
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Partially Supports	The product generally allows use of platform accessibility features; however, support may vary across components.
11.6.2 No disruption of accessibility features	Supports	The product does not interfere with or disable platform accessibility features or assistive technologies and is compatible with commonly used tools such as screen readers and system magnification.

Criteria	Conformance Level	Remarks and Explanations
11.7 User preferences	Partially Supports	In general, the product follows the values of the user preferences for platform settings for: units of measurement, colour, contrast, font type, font size, and focus cursor except where they are overridden by the user.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Not Applicable	The product is not an authoring tool and does not create or edit content for publication.
11.8.3 Preservation of accessibility information in transformations	Not Applicable	The product does not transform or convert content in a way that would require preservation of accessibility information.
11.8.4 Repair assistance	Supports	Support services are available via accessible communication channels, including email and web-based support systems. Support staff can assist users with accessibility-related questions.
11.8.5 Templates	Not Applicable	The product does not provide templates for content creation.

Clause [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	Web-based electronic support documentation is available for this product.
12.1.2 Accessible documentation	Supports	Web-based electronic support documentation is available for this product.
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	Technical support is available directly to the user for this product, and contact information is provided in this report.
12.2.3 Effective communication	Supports	Technical support is available directly to the user for this product, and contact information is provided in this report.
12.2.4 Accessible documentation	Supports	Web-based electronic support documentation is available for this product.

Clause [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not Applicable. This section has been removed from the report.